

| Compound | Common Name/ Trade Name | Company | Reference | Dosage |
|--|---|------------------------|-------------|----------|
| [(3,4-dichlorobenzoyl)amino]-5-[(3-methoxypropyl)pentylamino]-5-oxo-, (+/-)- | de; CR-1505 | Research | | |
| Androstane, 2,3-epithio-17-[(1-methoxycyclopentyl)oxy]-, (2alpha,3alpha,5alpha,17beta) - | mepitiostane; S-10364; Thioderon | Shionogi | US 3567713 | |
| Phenol, 4-[1-[4-[2-(dimethylamino)ethoxy]phenyl]-2-[4-(1-methylethyl)phenyl]-1-butenyl]-, dihydrogen phosphate (ester), (E)- | miproxifene phosphate; DP-TAT-59; TAT-59 | Taiho | WO 87/07609 | 20mg/day |
| Luteinizing hormone-releasing factor (pig), 6-[3-(2-naphthalenyl)-D-alanine]- | nafarelin; NAG, Syntex; Nasanyl; RS-94991; RS-94991-298; Synarel; Synarela; Synrelina | Roche | EP 21/234 | |
| 2,4-Imidazolidinedione, 5,5-dimethyl-3-[4-nitro-3-(trifluoromethyl)phenyl]- | nilutamide; Anandron; Nilandron; Notostiran; RU-23908 | Hoechst Marion Roussel | US 4472382 | |
| | obesity gene; diabetes | Lilly | WO 96/24670 | |

| Compound | Common Name/ Trade Name | Company | Reference | Dosage |
|--|---|-----------------------------|------------|--------|
| | gene; leptin | | | |
| L-Cysteinamide, D-phenylalanyl-L-cysteinyl-L-phenylalanyl-D-tryptophyl-L-lysyl-L-threonyl-N-[2-hydroxy-1-(hydroxymethyl)propyl]-, cyclic (2-7)-disulfide, [R-(R*,R*)]- | octreotide; Longastatina; octreotide pamoate; Sandostatine; Sandostatine LAR; Sandostatine; Sandostatine; SMS-201-995 | Novartis | EP 29/579 | |
| Pyrrolidine, 1-[2-(p-(7-methoxy-2,2-dimethyl-3-phenyl-4-chromanyl)phenoxy)ethyl]-, trans- | omeloxifene; 6720-CDRI; Centron; Choice-7; centchroman; Saheli | Central Drug Research Inst. | DE 2329201 | |
| 2-Oxapregna-4,6-diene-3,20-dione, 17-(acetyloxy)-6-chloro- | osaterone acetate; Hipros; TZP-4238 | Teikoku Hormone | EP 193871 | |
| Pregn-4-ene-3,20-dione | progesterone; Crinone | Columbia Laboratories | | |
| Sulfamide, N,N-diethyl-N'-(1,2,3,4,4a,5,10,10a-octahydro-6-hydroxy-1-propylbenzo[g]quinolin-3-yl)-, | quinagolide; CV-205-502; Norprolac; SDZ-205-502 | Novartis | EP 77754 | |

| Compound | Common Name/ Trade Name | Company | Reference | Dosage |
|--|--|------------------------|------------|--------|
| (3alpha,4alpha,10abeta)- (+/-)- | | | | |
| L-Proline, 1-(N2-(N-(N-(N-(N-(N-(N-acetyl-3-(2-naphthalenyl)-D-alanyl)-4-chloro-D-phenylalanyl)-D-tryptophyl)-L-seryl)-L-tyrosyl)-O-(6-deoxy-alpha-L-mannopyranosyl)-D-seryl)-L-leucyl)-L-arginyl)-, 2-(aminocarbonyl)hydrazide- | ramorelix; Hoe-013; Hoe-013C; Hoe-2013 | Hoechst Marion Roussel | EP 451791 | |
| | somatostatin analogues | Tulane University | | |
| Ethanamine, 2-[4-(1,2-diphenyl-1-butenyl)phenoxy]-N,N-dimethyl-, (Z)- | tamoxifen; Ceadan; ICI-46474; Kessar; Nolgen; Nolvadex; Tafoxen; Tamofen; Tamoplex; Tamoxas-ta; Tamoxen; Tomaxen | Zeneca | US 4536516 | |
| | tamoxifen methiodide | Pharmos | | |
| Ethanamine, 2-[4-(1,2-diphenyl-1-butenyl)phenoxy]-N,N-dimethyl-, (Z)- | tamoxifen | Douglas | | |